





USACERL Technical Report 96/02 October 1995

## Regional Cost Estimates for Rehabilitation and Maintenance Practices on Army Training Lands

by Dick L. Gebhart and Steven D. Warren

The U.S. Army is responsible for managing millions of acres of land used to support a variety of training and testing activities. Increased use of this land results in deterioration that can adversely affect mission requirements and safety. Various land rehabilitation and maintenance (LRAM) practices can offset this deterioration by physically or biologically controlling erosion and stabilizing land surfaces with vegetation. These practices frequently include the use of heavy equipment and farming implements to manipulate site characteristics, install erosion control materials and structures, prepare seedbeds, apply soil amendments, and seed or transplant vegetation. Planning, designing, budgeting, and implementing comprehensive LRAM projects requires information concerning component costs associated with erosion control and revegetation. Differences in climate, geology, soils, and vegetation types between Army installations, however, results in significant cost variability.

This report summarizes current, regional cost data obtained from various Federal, State, and private agencies concerning LRAM practices. In general, LRAM costs were highest in the Pacific Coast, Intermountain, and Northeast regions of the United States and lowest in the Great Plains and Cornbelt regions. This reflects regional differences in costs of goods and services, proximity to larger cities capable of providing necessary LRAM equipment and services, and proximity to production agriculture enterprises.

19960117 058

DITC QUALITY INSPECTED R

The contents of this report are not to be used for advertising, publication, or promotional purposes. Citation of trade names does not constitute an official endorsement or approval of the use of such commercial products. The findings of this report are not to be construed as an official Department of the Army position, unless so designated by other authorized documents.

DESTROY THIS REPORT WHEN IT IS NO LONGER NEEDED

DO NOT RETURN IT TO THE ORIGINATOR

#### **USER EVALUATION OF REPORT**

REFERENCE: USACERL Technical Report 96/02, Regional Cost Estimates for Rehabilitation and Maintenance Practices on Army Training Lands

Please take a few minutes to answer the questions below, tear out this sheet, and return it to USACERL. As user of this report, your customer comments will provide USACERL with information essential for improving future reports.

1. rep	Does this report satisfy a need? (Comment on purpose, related project, or other area of interest for which ort will be used.)
2. pro	How, specifically, is the report being used? (Information source, design data or procedure, management cedure, source of ideas, etc.)
3.	Has the information in this report led to any quantitative savings as far as manhours/contract dollars saved,
	erating costs avoided, efficiencies achieved, etc.? If so, please elaborate.
4.	What is your evaluation of this report in the following areas?
	a. Presentation:
	b. Completeness:
	c. Easy to Understand:
	d. Easy to Implement:
	e. Adequate Reference Material:
	f. Relates to Area of Interest:
	g. Did the report meet your expectations?
	h. Does the report raise unanswered questions?

	what you think should be changed to make this report and future reports eds, more usable, improve readability, etc.)
<u></u>	
5. If you would like to be contacted b discuss the topic, please fill in the follow	by the personnel who prepared this report to raise specific questions or wing information.
Name:	**************************************
Telephone Number:	
Organization Address:	
6. Please mail the completed form to:	
Department o	f the Army

Department of the Army
CONSTRUCTION ENGINEERING RESEARCH LABORATORIES
ATTN: CECER-TR-I
P.O. Box 9005
Champaign, IL 61826-9005

### REPORT DOCUMENTATION PAGE

Form Approved OMB No. 0704-0188

Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503.

	202-4302, and to the Office of Management a			asimgion, DO 20000.
1. AGENCY USE ONLY (Leave Blank)	2. REPORT DATE October 1995	3. REPORT TYPE AND DAT Final	ES COVERED	
4. TITLE AND SUBTITLE	·		5. FUNDING NUMBER	RS
	habilitation and Maintenance Pract	ices on Army Training	Reimbursab E8790242	le Order No.
6. AUTHOR(S)		···		
Dick L. Gebhart and Steven D.	Warren			
7. PERFORMING ORGANIZATION NAME			8. PERFORMING OR REPORT NUMBER	
U.S. Army Construction Engine P.O. Box 9005 Champaign, IL 61826-9005	eering Research Laboratories (USA	CERL)	TR 96/02	
9. SPONSORING / MONITORING AGENO Directorate of Environmental P Installation Management ATTN: DAIM-ED-N 1815 N Ft. Meyer Dr. Suite 17 Rosslyn, VA 22209	rograms, Office of the Assistant Cl	nief of Staff for	10. SPONSORING / N AGENCY REPOR	
	National Technical Information Ser	vice, 5285 Port Royal Ro	oad, Springfield, V	A 22161.
12a. DISTRIBUTION / AVAILABILITY STA	ATEMENT		12b. DISTRIBUTION	CODE
Approved for public release; di	istribution is unlimited.			•
13. ABSTRACT (Maximum 200 words)				
Increased use of this land resul rehabilitation and maintenance and stabilizing land surfaces w implements to manipulate site amendments, and seed or trans projects requires information c climate, geology, soils, and veg This report summarizes curren LRAM practices. In general, I United States and lowest in the	for managing millions of acres of lats in deterioration that can adversel (LRAM) practices can offset this cith vegetation. These practices free characteristics, install erosion controlled plant vegetation. Planning, designification controlled plant vegetation. Planning, designification types between Army install tregional cost data obtained from LRAM costs were highest in the Pate Great Plains and Cornbelt regions ties capable of providing necessary	y affect mission requirer leterioration by physical quently include the use of oll materials and structuring, budgeting, and impleted with erosion control lations, however, results various Federal, State, ascific Coast, Intermountal This reflects regional of	ments and safety. It or biologically of heavy equipment es, prepare seedbe ementing comprehe and revegetation. in significant cost and private agencies in, and Northeast relifferences in costs	Various land ontrolling erosion and farming ds, apply soil ensive LRAM Differences in variability. It concerning egions of the of goods and
14. SUBJECT TERMS				15. NUMBER OF PAGES
land maintenance land rehabilitation cost estimating	training lands			16. PRICE CODE
17. SECURITY CLASSIFICATION	18. SECURITY CLASSIFICATION	19. SECURITY CLASSIFIC	ATION	20. LIMITATION OF
OF REPORT	OF THIS PAGE	OF ABSTRACT		ABSTRACT
Unclassified	Unclassified	Unclassifie		SAR
01-301 / 54U-UL-28U-55UU			Standard	EURTI ZAK (HOV Z-XV)

Standard Form 298 (Rev. 2-89) Prescribed by ANSI Std 239-18 298-102

### **Foreword**

This study was conducted for the Conservation Division, Directorate of Environmental Programs, Office of the Assistant Chief of Staff for Installation Management under Reimbursable Order No. E8793042, "Cost Estimates for Maintenance of Army Training Lands." The technical monitor was Vic Diersing, DAIM-ED-N.

The work was performed by the Resource Mitigation and Protection Division (LL-R) of the Land Management Laboratory (LL), U.S. Army Construction Engineering Research Laboratories (USACERL). The USACERL principal investigator was Dick L. Gebhart. Robert E. Riggins is Chief, CECER-LL-R; William D. Goran is Chief, CECER-LL; and Dr. William D. Severinghaus is Laboratory Operating Chief, CECER-LL. The USACERL technical editor was Gloria J. Wienke, Technical Resources Center.

Special acknowledgment is due to Dr. Mohammad Sharif, Tom Hale, and Sara White for providing guidance and review. Numerous individuals within State and local Offices of the United States Department of Agriculture, Natural Resources Conservation Service (NRCS, formerly the Soil Conservation Service), contributed valuable time and data resources toward this research. Appreciation is also extended to the United States Department of Agriculture, Forest Service; United States Department of the Interior, Bureau of Land Management; and numerous other natural resources management agencies, universities, and contractors within each State where data was obtained.

COL James T. Scott is Commander and Acting Director of USACERL, and Dr. Michael J. O'Connor is Technical Director of USACERL.

## **Contents**

SF 298 1	
Foreword	
List of Tables	
1 Introduction       5         Background       5         Objectives       6         Approach       6         Scope       6         Mode of Technology Transfer       7         Metric Conversion Factors       7	
2 Project Details and Data Collection	
3Types of Maintenance and Rehabilitation Activities10Manipulating Existing Vegetation10Manipulating Site Characteristics13Biological and Physical Erosion Control Practices15Seedbed Preparation17Soil Amendments19Revegetation21Safeguards for Revegetation Success24	
4 Summary	
<b>References</b>	NTIS CRALIV
Appendix A: Reference List for Cost Data Sources	Unemmounced Justification
Distribution	By

## **List of Tables**

٦	۲a	h	عما

1	Regional average costs and ranges for ground and aerial application of foliar and soil active herbicides
2	Regional average costs and ranges for manipulating vegetation with mechanical treatments and burning
3	Regional average costs and ranges for earthwork associated with manipulating site characteristics
4	Regional average costs and ranges for biological erosion control practices
5	Regional average costs and ranges for physical erosion control practices
6	Regional average costs and ranges for seedbed preparation practices
7	Regional average costs and ranges for soil amendment application
8	Regional average costs and ranges for revegetation using direct seeding methods
9	Regional average costs and ranges for revegetation using transplants
10	Regional average costs and ranges for materials to safeguard revegetation success

#### 1 Introduction

#### **Background**

The U.S. Army is responsible for managing about 12.4 million acres of land used to support a variety of military training and testing activities (U.S. Department of the Army 1989). This land base, however, is considered inadequate for meeting existing training mission requirements (U.S. Department of the Army 1978). Increased use of this limited land resource in recent years has resulted in a gradual deterioration in the condition of natural resources assets at Army training facilities within the United States (Diersing and Severinghaus 1984; Goran, Radke, and Severinghaus 1983; Johnson 1982). To offset the deterioration caused by military training and testing activities, installation land managers rely on various rehabilitation and maintenance practices to maintain or reestablish the ecological integrity and stability of training lands. These practices frequently include the use of heavy equipment and farming implements to manipulate site characteristics, install erosion control materials and structures, prepare seedbeds, apply soil amendments, and seed or transplant vegetation. Planning, designing, and implementing comprehensive land rehabilitation and maintenance projects requires information concerning associated component costs (e.g., earthwork, sediment fence, tillage, fertilizer application, seeding, etc.). However, due to significant differences in climate, geology, soils, vegetation types, mission requirements, and proximity to large population centers between Army installations, the cost of seedbed preparation, fertilizing, and revegetating damaged training areas, for example, will vary widely.

Because of the variability in land rehabilitation and maintenance (LRAM) costs between installations located in the United States, the Directorate of Environmental Programs asked the U.S. Army Construction Engineering Research Laboratories (USACERL) to coordinate the assembly of regional cost data for use by installation land managers. In addition to providing regionally specific cost data essential for budgeting, planning, and designing LRAM projects, these data are also useful for selecting the most appropriate practice based on relative costs and desired results. For example, the cost of drilling grass seed might be 1.5 times greater than the cost of broadcasting seed, but improved germination and establishment of drilled seed compared to broadcasted seed compensates for the difference in cost, especially on highly erosive sites requiring immediate vegetative stabilization. Although actual

costs for rehabilitation and maintenance practices will undoubtedly change and require update over time, relative costs between practices should remain somewhat constant, ensuring their applicability well into the future. In response to the request by the Directorate of Environmental Programs, USACERL began an effort to assemble regional cost estimates pertaining to the component activities associated with LRAM practices.

#### **Objectives**

The objective of this report is to provide current, regionally based cost estimates for the component activities associated with land rehabilitation and maintenance.

#### **Approach**

The first task in this research project was to divide the United States into regions with grossly similar climates, geology, soils, and vegetation types. This division into regions is presented in Chapter 2.

The next task involved identifying and contacting various Federal, State, and private agencies within each defined region concerning availability and access to current LRAM cost data. Appendix A references these data sources.

Assembling and compiling cost data obtained from respondents represented the final task of this research project. Chapter 3 summarizes the results by region and LRAM practice.

#### Scope

The results of this project have applicability to all U.S. Army installations within the United States, except for Hawaii. The data presented in this report should be used with caution and only as a general reference for decisionmaking. It should be noted that without periodic update, the actual cost estimates presented in this report may not be representative for more than a few years. Relative costs between different LRAM practices should, however, remain reasonably constant.

#### **Mode of Technology Transfer**

The information in this report will be used by installation land managers and natural resources personnel for planning, budgeting, designing, and implementing land maintenance and rehabilitation projects.

#### **Metric Conversion Factors**

U.S. standard units of measure are used in this report. Metric conversion factors are listed below.

1 ft = 0.304 m 1 acre = 0.407 hectare 1 ton = 907 kg 1 sq yd = 0.836 m<sup>2</sup> 1 cu yd = 0.764 m<sup>3</sup> 1 gal = 3.78 L 1 lb = 454 g

## 2 Project Details and Data Collection

For the purpose of obtaining regional cost estimates associated with LRAM practices, the United States was divided into seven regions based on gross similarities in climate, geology, soils, and vegetation types (U.S. Department of Agriculture, Natural Resources Conservation Service 1981). These seven regions and the states included in them are listed below.

- 1. Pacific Coast: California, Oregon, and Washington;
- 2. Intermountain: Arizona, Idaho, Nevada, and Utah;
- 3. Northern Great Plains: Montana, Nebraska, North Dakota, South Dakota, and Wyoming;
- 4. Southern Great Plains: Colorado, Kansas, New Mexico, Oklahoma, and Texas;
- 5. Central Lake: Illinois, Indiana, Iowa, Michigan, Minnesota, Missouri, Ohio, and Wisconsin;
- 6. Northeast: Connecticut, Delaware, Maine, Maryland, Massachusetts, New Hampshire, New Jersey, New York, Pennsylvania, Rhode Island, Vermont, and West Virginia; and
- 7. Humid South: Alabama, Arkansas, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, South Carolina, Tennessee, and Virginia.

Data for Alaska was very difficult to obtain because of the state's remoteness and diversity in climate, geology, soils, and vegetation types. Most agencies contacted indicated that adding an additional 30 to 50 percent to cost estimates for the Pacific Coast region would provide reasonable estimates for costs associated with LRAM practices in Alaska. The limited data collected from Alaskan agencies supports this generalization.

Within each region, various Federal, State, and private agencies were contacted concerning their ability to provide current component cost data regarding LRAM practices. Appendix A references these data sources. Component costs refer to those associated with a specific kind of activity or task. For example, a rehabilitation and maintenance project designed to control erosion through the reestablishment of vegetation might include the following component activities: (1) earthwork to fill gullies or reduce slope length and gradient, (2) plowing or disking to prepared a seedbed for planting, (3) application of soil amendments to enhance soil fertility and

subsequent plant growth, (4) drilling or broadcasting seeds on the prepared site, and (5) mulching the seeded site to protect it from further erosion while the newly seeded vegetation becomes established. Each of these five component activities has a cost associated with it; these are the types of costs presented in this report.

Unless otherwise noted, all costs in this report represent installed costs that include materials, labor, and equipment needed to satisfactorily perform the work. These costs are based on average-sized jobs done by experienced contractors, operators, and vendors. Materials costs can be reduced if local or installation resources such as riprap, gravel, straw, or plant materials are available for use. Labor and equipment costs can be reduced by using engineer troop personnel and machinery for LRAM projects whenever circumstances present this opportunity. Certain component activities, such as disking and broadcasting seed, or disking and applying fertilizer, for example, can also be combined to reduce costs if conditions and project objectives permit.

Only cost data from LRAM practices applied after 1 September 1991 were considered current and used in this report. It is important to note that much of the data used to compile cost estimates were derived from agricultural surveys and research that may not be entirely representative of conditions encountered on Army training lands. Significant differences between these costs, which are based on large scale, extensively managed agricultural land areas, and costs presented in publications such as Means (1994) and A.C.E. (1994), which are based on smaller scale, intensively managed urban landscape and construction areas, should be expected. For smaller LRAM projects with limited scope, Means (1994) and A.C.E. (1994) are excellent cost estimating resources.

Although the cost data published in this report include averages, the price ranges presented are probably more useful for several reasons. Site conditions can vary greatly. In some instances, difficult site conditions can increase costs whereas ideal conditions often decrease costs. Types of equipment capable of accomplishing similar tasks also vary considerably in availability and cost of operation. Unusual circumstances affecting the amount of time required for task completion, such as extremely wet, frozen, rocky, or clayey soils, may also result in significant cost variability. Distance to job site and overall job size have dramatic effects on cost. Smaller jobs will generally have higher per unit costs than large jobs. Unionized versus nonunionized labor sources and government versus nongovernment contracts also have major impacts on cost. The cost data presented here are not meant to be all inclusive, but rather should be used with caution and only as a guide upon which to base solid decisions.

# 3 Types of Maintenance and Rehabilitation Activities

Commonly used land rehabilitation and maintenance practices can be divided into several categories depending on project objectives or the extent and severity of site degradation. These categories involve manipulating undesirable vegetation occurring on the site; manipulating physical site characteristics; installing physical or biological erosion control measures; preparing seedbeds for planting; applying soil amendments to enhance soil water retention, nutrient supplying capacity, and overall plant growth and development; establishing vegetation through direct seeding or transplanting; and safeguarding revegetation efforts, through the use of mulch, for instance, to ensure the greatest probability of successful revegetation.

#### **Manipulating Existing Vegetation**

Manipulating unwanted or undesirable vegetation is usually accomplished by applying selective or nonselective herbicides. Selective herbicides kill or damage individual species or groups of species with little or no injury to other plant species, whereas nonselective herbicides kill or damage all plant species. Both general types of herbicides are manufactured in formulations (liquids, granules, pellets) that can be sprayed directly on foliage or broadcast on the soil surface using ground rigs, aircraft, or individual plant application techniques (Bovey 1977; Vallentine 1989).

Table 1 provides regional cost estimates for the different types of herbicide application techniques. Due to differences in herbicide selectivity, mode of action, application rates, manufacturing costs, and intended use at individual sites, the price of herbicides is not included in these estimates. Appendix B, however, provides a list of the most commonly used herbicides and purchase prices associated with them. For all regions, the low end of the cost estimate range represents ideal conditions (i.e., large acreages; dry, loamy, level soil surfaces; small stature, undesirable herbaceous plant species with modest plant densities; reduced application rates; owner-operated equipment), whereas the high end represents difficult conditions (i.e., small acreages; wet, clayey, sloping soil surfaces; large stature, undesirable woody species with high plant densities; increased application rates; contractor owned and operated equipment).

Table 1. Regional average costs and ranges for ground and aerial application of foliar and soil active herbicides.

		Ī	Herbicide Type and	Application Method	
Region	Estimate type	Ground Applied Foliar Herbicide	Aerially Applied Foliar Herbicide	Ground Applied Soil Active Herbicide	Aerially Applied Soil Active Herbicide
Pacific Coast	Average	13.82/acre	11.50/acre	*	*
	Range	7.25-22.00/acre	10.75-12.75/acre	*	*
Intermountain	Average	15.05/acre	11.96/acre	8.36/acre	*
	Range	2.25-25.00/acre	4.12-15.00/acre	4.31-18.00/acre	*
Northern Great	Average	5.27/acre	5.38/acre	5.11/acre	*
Plains	Range	2.00-12.00/acre	2.00-12.39/acre	2.00-8.63/acre	*
Southern Great	Average	7.54/acre	7.31/acre	15.68/acre	34.25/acre
Plains	Range	2.60-16.00/acre	2.00-21.00/acre	2.00-45.00/acre	32.00-45.00/acre
Central Lake	Average	5.84/acre	5.58/acre	4.66/acre	*
	Range	1.75-12.00/acre	3.00-8.30/acre	2.00-12.50/acre	*
Northeast	Average	7.26/acre	7.83/acre	5.83/acre	*
	Range	3.41-12.00/acre	5.00-10.00/acre	5.00-7.00/acre	*
Humid South	Average	5.86/acre	4.25/acre	6.84/acre	
	Range	3.00-14.00/acre	3.00-8.15/acre	3.00-15.00/acre	

The Intermountain and Pacific Coast regions tended to have average foliar herbicide application costs (ground rig and aircraft) that were much higher when compared to other regions (Table 1). This is a reflection of the long distances separating LRAM sites and reasonably-sized population centers offering custom herbicide application in the Intermountain region, and generally higher costs of goods and services within the Pacific Coast region. Although aerial herbicide application costs in most regions were generally lower than ground rig application costs, aerial applicators will not usually spray small, disjointed acreages that may characterize some LRAM sites.

The average cost of broadcasting herbicide granules on soil surfaces was nearly twice as high in the Southern Great Plains region as in other regions (Table 1). Certain areas within this region have significant problems with brush encroachment (Hennessy et al.1983; Johnson and Mayeux 1990) and much of the broadcasted granular herbicide used is applied to individual shrubs and trees. Individual plant application techniques are labor intensive (Bovey 1977) and this is reflected in both the average cost and cost ranges pertaining to this region. The encroachment problem

is severe enough that this region is the only one where cost estimates concerning aerial application of herbicide granules could be obtained (Table 1).

Manipulating unwanted or undesirable vegetation can also be accomplished through mechanical practices, such as bulldozing, root plowing, and brushland plowing, which are capable of damaging or destroying plant root systems (Vallentine 1989). Various tractor-mounted planes, blades, and cultivators can be used to sever the roots of trees, shrubs, and associated herbaceous perennials below ground. These vegetation control practices are best adapted to dry, level, sandy/loamy, rock-free sites having large-stature trees or shrubs in densities that make other types of mechanical treatments impractical (Carlton et al. 1973). Wet, sloping, rocky, or clayey sites and larger, more powerful tractors (D5 versus D7, for example) contribute to increased costs for all regions. Long equipment transportation distances, in combination with severe brush encroachment characteristic of treated sites, results in generally higher costs for Southern Great Plains and Intermountain regions (Table 2).

Table 2. Regional average costs and ranges for manipulating vegetation with mechanical treatments and burning.

		Type of Vegetation Manipulation						
Region	Estimate Type	Bulldozing	Root Plowing	Brush Plowing	Chaining	Shredding	Burning	
Pacific Coast	Average	88.71/hour	*	19.00/acre	20.79/acre	15.00/acre	3.77/acr	
	Range	60-120/hour	*	12-20/acre	15-35/acre	12-16/acre	3-8/acr	
Intermountain	Average	74.25/hour	24.76/acre	17.03/acre	26.08/acre	18.11/acre	6.19/acre	
	Range	40-94/hour	13-30/acre	6-30/acre	15-31/acre	10-33/acre	1-10/acre	
Northern	Average	73.24/hour	19.80/acre	14.59/acre	*	8.93/acre	6.57/acr	
Great Plains	Range	22-137/hour	13-25/acre	6-25/acre	*	3-15/acre	1-14/acr	
Southern	Average	68.04/hour	32.58/acre	25.17/acre	30.42/acre	9.86/acre	4.95/acr	
Great Plains	Range	29-90/hour	16-50/acre	7-55/acre	15-41/acre	5-24/acre	2-12/acr	
Central Lake	Average	65.48/hour	19.27/acre	13.19/acre	*	6.76/acre	7.45/acr	
	Range	40-120/hour	13-25/acre	7-18/acre	*	3-12/acre	4-15/acr	
Northeast	Average	70.59/hour	15.61/acre	22.87/acre	*	8.66/acre	17.50/acr	
	Range	54-92/hour	15-21/acre	17-35/acre	*	6-13/acre	15-21/acr	
Humid South	Average	58.75/hour	*	12.25/acre	*	9.67/acre	8.08/acr	
	Range	35-100/hour	*	7-20/acre	*	4-22/acre	4-20/acr	

<sup>\*</sup> Indicates data not available or not applicable

Chaining, shredding/chopping, and controlled burning are also useful for manipulating unwanted or undesirable vegetation (Scifres 1980). Chaining consists of dragging heavy anchor chain behind two tractors traveling in a parallel direction and is effective for removing even-aged, mature, non-sprouting, single stemmed tree species. Its use is confined primarily to Pacific Coast, Intermountain, and Southern Great Plains regions where costs range from \$15 to \$41 per acre (Table 2), depending on site characteristics and tree density.

Shredding/chopping methods are usually less effective than other mechanical treatments for controlling vegetation. Repeated treatments are often necessary for reasonable control, especially on sites dominated by herbaceous perennial, sprouting, or low growing vegetation (Vallentine 1989). Increased costs can be expected on sites with steep slopes, wet soils, and vegetation types dominated by small trees or shrubs, such as those characteristic of Pacific Coast, Intermountain, and Southern Great Plains regions (Table 2).

Most of the costs associated with controlled burning are related to fire control (Bidwell and Masters 1993). High fuel loads, woody vegetation types, rough or dissected topography, close proximity to adjacent landowners, and strong regulatory requirements all increase controlled burning costs. In light of these considerations, it is not surprising that the Northeast, Humid South, and Central Lake regions have controlled burning costs well above those for other regions (Table 2).

#### **Manipulating Site Characteristics**

Many disturbed sites require techniques that are specifically designed to repair gully erosion, modify slope lengths and gradients, control the direction and velocity of runoff, and trap and retain water in terraces, trenches, and furrows. Most of these techniques require some form of earthwork involving excavation, fill material, topsoil, and/or grading and shaping.

Table 3 provides regional cost estimates for these types of activities. Contractor-owned equipment, remoteness of the job site, steep slopes, and wet, rocky soils contribute to increased earthwork costs. Long haul distances (greater than 300 ft) over unimproved roads with steep grades can significantly increase earthwork costs (U.S. Department of Agriculture, Forest Service 1994) beyond those indicated in Table 3 and must be estimated for each project. Compared to other regions, excavation, fill material, and grading and shaping costs are highest for the Northeast and Pacific Coast. Altered excavation, storage (if required), and spreading will increase the costs associated with topsoil for all regions. This is especially pronounced in the Inter-

Table 3. Regional average costs and ranges for earthwork associated with manipulating site characteristics.

			Type of Earthwork						
Region	Estimate Type	Excavation or Fill Material *	Topsoiling *	Grading and Shaping *	Terracing *	Furrowing	Trenching *		
Pacific Coast	Average	1.97/cy	2.47/cy	1.97/cy	1.30/lf	25.00/acre	1.13/ lf		
	Range	0.80-3.20/cy	1.50-3.20/cy	0.80-3.20/cy	1.00-1.65/lf	15-30/acre	0.70-1.37/lf		
Intermountain	Average	1.33/cy	2.45/cy	1.33/cy	0.96/lf	15.00/acre	0.88/lf		
	Range	0.72-2.08/cy	0.72-8.05/cy	0.72-2.08/cy	0.75-1.20/lf	12-25/acre	0.52-1.16/1		
Northern Great	Average	1.08/cy	1.19/cy	1.21/cy	1.14/lf	14.87/acre	0.63/lf		
Plains	Range	0.72-2.08/cy	0.72-2.58/cy	0.80-1.85/cy	0.70-2.00/lf	12-20/acre	0.20-1.00/		
Southern Great	Average	0.96/cy	1.04/cy	1.02/cy	0.94/lf	6.43/acre	0.41/		
Plains	Range	0.60-2.25/cy	0.60-2.75/cy	0.60-2.25/cy	0.48-1.40/lf	5-8/acre	0.29-0.88/		
Central Lake	Average	1.62/cy	1.72/cy	1.73/cy	1.47/lf	**	0.76/		
	Range	0.60-3.00/cy	0.60-3.35/cy	1.00-3.00/cy	0.60-2.75/lf	**	0.60-1.50/		
Northeast	Average	2.63/cy	2.82/cy	3.43/cy	2.58/lf	**	0.95/l		
	Range	1.25-6.23/cy	1.25-6.23/cy	2.00-5.00/cy	1.27-5.00/lf	**	0.90-1.37/		
Humid South	Average	1.56/cy	1.78/cy	1.46/cy	0.69/lf	**	*		
	Range	0.63-2.83/cy	0.85-3.15/cy	0.63-2.00/cy	0.18-1.44/lf	**	*		

<sup>\*</sup> cy = cubic yard; If = linear foot

mountain region, where specialized retrieval and storage practices are necessary to salvage the limited topsoil some relatively young, arid soils have managed to develop (Buol, Hole, and McCracken 1980) (Table 3). Means (1994) presents more detailed information concerning estimating costs associated with different earthwork equipment and practices.

Contour terracing, trenching, and furrowing are used to intercept and control moderate amounts of runoff, thereby conserving rainfall and reducing the potential for accelerated erosion and sedimentation (Laflen et al. 1985). Terraces and trenches can be classified by alignment, cross section, grade, and outlet. They may or may not be parallel, may or may not be vegetated, may be level or on a grade, and may have surface or underground outlets, both, or neither (Laflen et al. 1985). Cost data indicate

<sup>\*\*</sup> Indicates data not available or not applicable

that terracing and trenching are generally more expensive in the Northeast and Pacific Coast regions (Table 3) when compared to other regions.\*

Contour furrowing, on the other hand, is a shallower and less disruptive soil surface manipulation than terracing and trenching. Furrows have been successfully used to control moderate amounts of runoff, improve infiltration, and increase the amount of water available for plant growth in the western United States (Vallentine 1989). It should be noted that seeding can often be combined with a shallow furrowing operation on many areas if site conditions and seasonal climatic constraints permit. Contour furrowing practices are substantially higher in cost for Pacific Coast, Intermountain, and Northern Great Plains regions when compared to the Southern Great Plains (Table 3). Increased soil water contents, soil water depth, biomass production, rooting depth, and resultant prolonged green growth periods following rangeland furrowing are responsible for the widespread use and resultant lower costs seen in the Southern Great Plains.

#### **Biological and Physical Erosion Control Practices**

Following manipulation of existing vegetation and site characteristics, it is often desirable to install biological and physical erosion control practices that maintain site integrity prior to or concurrent with revegetation efforts. Two of the more common biological erosion control practices are grassed waterways and vegetative filter strips. Grassed waterways provide an energy dissipating vegetative mat over which deliberately concentrated runoff can flow without causing excessive erosion (Laflen et al. 1985). Grassed waterway costs include associated earthwork (grading/shaping), seedbed preparation, soil amendments, and seed from species adapted for this purpose. Regions with higher average annual precipitation and greater probability for high intensity precipitation events, such as the Northeast and Humid South, generally have increased grassed waterway costs (Table 4). Higher costs can be expected on remote sites with steep slopes and unfavorable soil conditions (e.g., wet, clayey, or rocky). Cost ranges shown in Table 4 illustrate this variability due to adverse site characteristics and remoteness.

Vegetative filter stripping with annual or perennial species that have the ability to quickly germinate and subsequently develop extensive root systems offers a means to slow runoff velocity and trap suspended sediment behind the upslope side of vegetation strips. Filter stripping costs include seedbed preparation and seed. Increased costs

Although the average cost was used for most comparisons, the range of costs was broad enough in many cases to warrant additional consideration that changed the regional rankings.

Table 4. Regional average costs and ranges for biological erosion control practices.

16

		Type of	Practice
Region	Estimate Type	Grassed Waterways	Filter Stripping
Pacific Coast	Average	575.00/acre	21.66/acre
	Range	200-1000/acre	10-30/acre
Intermountain	Average	556.66/acre	11.95/acre
	Range	385-785/acre	9-16/acre
Northern Great Plains	Average	834.00/acre	11.23/acre
	Range	650-1000/acre	4-20/acre
Southern Great Plains	Average	796.00/acre	12.00/acre
	Range	450-1307/acre	6-16/acre
Central Lake	Average	1783.00/acre	12.73/acre
	Range	750-3700/acre	10-15/acre
Northeast	Average	1881.00/acre	19.27/acre
	Range	790-3500/acre	8-35/acre
Humid South	Average	1157.00/acre	16.38/acre
	Range	510-2265/acre	7-25/acre

can be expected on longer, steeper, or more unstable slopes that require strips to be planted closer together for effectiveness. This is especially true for regions prone to high intensity rainfall such as the Pacific Coast, Northeast, and Humid South (Table 4).

Physical erosion control practices include diversion ditches, sediment retention ponds, gabions, riprap, and sediment fencing. All of these practices are directed towards diverting runoff to or concentrating flow on areas less prone to erosion, reducing runoff volumes and velocities, or trapping suspended sediments before they move off-site (Laflen et al. 1985). Similar to site manipulation practices involving earthwork (Table 3), installation costs for diversions and sediment retention ponds were much higher in the Northeast than in other regions (Table 5). Costs for installing gabions, riprap, and sediment fence, however, were greatest for the Humid South region (Table 5) where frequent, high intensity precipitation events mandate material types capable of withstanding the additional stresses imposed by these events. Data concerning physical erosion control materials and structures such as cabled and trilock blocks, flumes, chutes, and culverts were extremely limited, displayed uncommon variability, and, consequently, are not presented here. The costs associated with these

Table 5. Regional average costs and ranges for physical erosion control practices.

·		Type of Practice						
Region	Estimate Type	Diversion Ditches	Sediment Retention Ponds	Gabions	Riprap	Sediment Fence		
Pacific Coast	Average	1.23/lf	2.19/cy	85.14/cy	38.72/cy	2.46/lf		
	Range	0.80-1.47/lf	1.17-3.20/cy	77-100/cy	25-71/cy	2.00-3.00/lf		
Intermountain	Average	1.38/lf	1.66/cy	81.42/cy	39.34/cy	2.20/lf		
	Range	0.72-2.08/lf	1.00-2.08/cy	50-110/cy	31-55/cy	1.80-3.00/lf		
Northern	Average	1.17/lf	1.26/cy	90.66/cy	28.58/cy	1.59/lf		
Great Plains	Range	0.72-2.13/lf	0.80-2.06/cy	40-135/cy	14-40/cy	0.45-3.25/lf		
Southern	Average	0.83/lf	1.00/cy	107.20/cy	29.90/cy	2.49/lf		
Great Plains	Range	0.60-1.10/lf	0.65-1.75/cy	70-185/cy	17-49/cy	0.90-3.00/lf		
Central Lake	Average	1.67/lf	1.84/cy	69.64/cy	32.42/cy	2.32/lf		
	Range	0.75-2.65/lf	1.24-3.00/cy	50-100/cy	20-47/cy	1.80-3.00/lf		
Northeast	Average	3.44/lf	2.92/cy	122.00/cy	37.20/cy	3.31/lf		
	Range	0.90-10.00/lf	1.75-5.00/cy	90-160/cy	26-56/cy	2.20-4.00/lf		
Humid South	Average	1.04/lf	1.52/cy	129.10/cy	40.01/cy	3.75/l1		
	Range	0.31-2.00/lf	0.63-2.00/cy	70-275/cy	22-60/cy	2.00-7.50/lf		

materials and structures are probably best approached on a project-specific basis using vendor, contractor, or engineering specifications.

### **Seedbed Preparation**

Choosing a seedbed preparation method depends on several site-specific criteria including slope, kinds and amounts of existing vegetation, and soil type, depth, texture, chemistry, and stoniness (Vallentine 1989). More common methods involve using fire, herbicides, and mechanical farming implements. Fire and herbicidal methods use direct seeding into vegetation that has been recently burned or sprayed. These methods are often lower in cost than mechanical seedbed preparation. However, there are distinct disadvantages that preclude their widespread use. Heterogeneous burns due to insufficient fuel loads, presence of competitive vegetation that sprouts in response to fire, and potential soil crusting problems limit the applicability and success of fire as a seedbed preparation tool (Vallentine 1989). Lack of complete kill, residue

toxicity, or excessive dead mulch and litter from sprayed vegetation may subject newly planted seedlings to herbicide stress and undue competition for light, nutrients, and water that can result in seeding failure. If the above disadvantages can be overcome, fire and herbicides are effective seedbed preparation methods. Regional cost estimates associated with these methods are presented in Tables 1 and 2.

Seedbed preparation methods involving mechanical farming implements include subsoiling, chiseling, moldboard plowing, offset disking, and tandem disking. Subsoiling and chiseling are deep tillage operations designed to break or shatter compacted soil layers that can inhibit germination, root development, and moisture infiltration (Brady 1980). Chiseling is less expensive than subsoiling due to shallower depths of implement operation and reduced power requirements. Regional cost estimates for subsoiling and chiseling are shown in Table 6. Wet, rocky soils, steeper slopes, and greater depths of subsoiling or chiseling necessary to break up compacted soil layers contribute to increased costs. For previously cited reasons of generally higher costs of goods and services, long distances to LRAM sites, and reduced equipment availability associated with small population bases, the Pacific Coast, Northeast, and Intermountain regions have greater chiseling and subsoiling costs than other regions (Table 6).

Table 6. Regional average costs and ranges for seedbed preparation practices.

		Types of Seedbed Preparation						
Region	Estimate Type	Subsoiling	Chiseling	Moldboard Plowing	Offset Disking	Tandem Disking		
Pacific Coast	Average	30.06/acre	16.78/acre	15.27/acre	12.18/acre	9.08/acre		
	Range	12-75/acre	8-25/acre	13-17/acre	8-15/acre	7-12/acre		
Intermountain	Average	16.32/acre	10.65/acre	15.83/acre	14.52/acre	8.27/acre		
	Range	9-24/acre	5-15/acre	10-21/acre	6-20/acre	5-9/acre		
Northern	Average	13.89/acre	9.92/acre	12.86/acre	10.54/acre	8.43/acre		
Great Plains	Range	6-25/acre	5-20/acre	3-20/acre	6-23/acre	4-23/acre		
Southern	Average	10.88/acre	6.69/acre	12.26/acre	7.16/acre	6.23/acre		
Great Plains	Range	4-19/acre	5-12/acre	4-18/acre	4-14/acre	3-12/acre		
Central Lake	Average	11.84/acre	10.03/acre	11.99/acre	9.28/acre	7.77/acre		
	Range	5-20/acre	4-18/acre	6-20/acre	4-13/acre	4-12/acre		
Northeast	Average	15.36/acre	12.14/acre	15.57/acre	13.02/acre	10.41/acre		
	Range	9-25/acre	9-20/acre	7-25/acre	7-19/acre	6-15/acre		
Humid South	Average	13.74/acre	9.64/acre	11.44/acre	11.36/acre	8.13/acre		
	Range	6-21/acre	5-20/acre	5-26/acre	6-20/acre	3-20/acre		

Moldboard plowing, offset disking, and tandem disking are shallower tillage operations that can be used alone or in combination with subsoiling or chiseling, depending on site characteristics. All three practices are capable of reducing or eliminating existing vegetation and seed supplies of undesirable competing species while providing conditions conducive to seed germination and plant establishment (Vallentine 1989). Moldboard plowing has the greatest power requirements and is, therefore, more expensive than offset or tandem disking (Table 6). Moldboard plows are ineffective on hard, rocky, or clayey soils, making them far less versatile than offset or tandem disks, which are better adapted to unfavorable soil and vegetative conditions associated with noncultivated sites. Offset disking is generally more expensive than tandem disking (Table 6), but does a better job of killing and mulching existing vegetation with one pass of the implement (Vallentine 1989). As with subsoiling and chiseling, higher costs for plowing and disking were observed for Intermountain, Pacific Coast, and Northeast regions (Table 6). Well-developed farming enterprises in Southern Great Plains, Northern Great Plains, and Central Lake regions result in greater equipment availability and substantially lower mechanical seedbed preparation costs when compared to other regions (Table 6).

#### Soil Amendments

Normal plant growth depends on the nutrient-supplying capacity of soil to support and maintain critical physiological functions. Disturbed, degraded, and eroded soils are frequently lower in organic matter and other essential nutrients than their undisturbed counterparts (Aguilar, Kelly, and Heil 1988; Davidson and Ackerman 1993) and usually require the addition of supplemental fertilizer to encourage and sustain plant growth. Soil tests should be used to determine the kinds and amounts of nutrients that need to be added to the soil through fertilization.

Regional cost estimates for broadcasting and banding fertilizer are given in Table 7. Because each LRAM site will have different fertilizer requirements, the price of fertilizers is not included in these estimates. Local feed and seed dealers or U.S. Department of Agriculture, Natural Resources Conservation Services personnel can provide up-to-date fertilizer price information based on site-specific soil test recommendations.

Broadcasting fertilizer on the soil surface is the most widely used application technique. It is less expensive than banding, which involves placing narrow, continuous bands of fertilizer below the soil surface (Table 7). Although banding is a more expensive technique, it can reduce phosphorus fertilizer costs because it reduces fertilizer surface areas exposed to the soil, thereby proportionally reducing the amount

Table 7. Regional average costs and ranges for soil amendment application.

	Estimate Type	Types of Amendments						
Region		Fertilizer, Broadcasted	Fertilizer, Banded	Limestone and Gypsum	Non-traditional Materials*			
Pacific Coast	Average	5.18/acre	6.26/acre	5.18/acre	50.00/hour			
	Range	4.00-6.75/acre	5.25-7.03/acre	4.00-6.75/acre	30-70/hour			
Intermountain	Average	4.59/acre	6.29/acre	4.59/acre	45.30/hour			
	Range	3.00-7.50/acre	5.25-12.50/acre	3.00-7.50/acre	28-68/hour			
Northern Great Plains	Average	3.14/acre	5.28/acre	3.17/acre	60.87/hour			
	Range	2.00-5.25/acre	3.50-7.50/acre	2.50-5.25/acre	25-110/hour			
Southern Great Plains	Average	3.18/acre	5.40/acre	3.85/acre	43.61/hour			
	Range	2.00-5.75/acre	2.00-10.00/acre	1.00-8.00/acre	29-53/hour			
Central Lake	Average	3.93/acre	6.22/acre	4.51/acre	35.64/hour			
	Range	1.00-10.00/acre	2.00-12.00/acre	1.00-16.00/acre	12-56/hour			
Northeast	Average	6.12/acre	8.67/acre	7.25/acre	42.32/hour			
	Range	3.00-11.73/acre	7.00-13.00/acre	5.00-11.73/acre	28-68/hour			
Humid South	Average	4.59/acre	6.83/acre	5.38/acre	31.45/hour			
	Range	2.50-10.00/acre	5.00-15.00/acre	2.90-10.00/acre	22-45/hour			

that becomes essentially unavailable for plant uptake through fixation on soil colloids (Alexander 1977; Brady 1980). Broadcasting and banding costs, like those associated with seedbed preparation, were highest in Northeast, Intermountain, and Pacific Coast regions, lowest in Southern Great Plains, Northern Great Plains, and Central Lake regions, and varied depending on job size, application rates, slope steepness, and

soil moisture content and rockiness (Table 7).

Extreme soil acidity or alkalinity have adverse effects on seed germination and plant growth. Correcting these problems is often accomplished by applying agricultural lime to acid soils and gypsum or sulfur to alkaline soils (Brady 1980). Soil tests should be used to determine the kinds and amounts of amendments needed to correct acidity and alkalinity problems.

Table 7 provides regional cost estimates for applying amendments necessary to adjust soil pH. Due to site-specific variability in the kinds and amounts of lime, gypsum, or sulfur needed to correct a given problem, prices associated with these amendments are not included in the cost estimates. Because these amendments are usually broadcast

on the soil surface, cost estimates closely mirror those associated with broadcasting fertilizer (Table 7). It should be noted, however, that in certain regions where soil acidity problems are common (i.e., Humid South and Northeast), costs for applying lime are higher than those for broadcasting fertilizer and reflect the increased demand for this practice.

Depending on region and proximity to various production, manufacturing, or processing facilities, additional sources of nontraditional soil amendments may be available that can complement or reduce the amounts of commercially produced fertilizer required to build soil fertility. These amendments include papermill wastes, municipal sludge, compost, poultry litter, livestock manures, and food processing wastes. These amendments can make a valuable contribution to most LRAM projects and their availability and use should be thoroughly explored. In addition to supplying soil nutrients, many of these soil amendments can also build soil organic matter, improve soil aggregate stability and resistance to erosion, and increase water holding capacity (Sharpley, Smith, and Bain 1993; Campbell, Folk, and Tripepi 1994; Feagley, Valdez, and Hudnall 1994; Pichtel, Dick, and Sutton 1994). Table 7 provides some very limited data concerning regional cost estimates associated with nontraditional soil amendments. As near as could be ascertained, these costs include the amendment and its loading, transportation, and subsequent spreading. Because of the extreme variability in nontraditional amendment type, source, availability, and desirability, these costs are only rough approximations and should not be used in any formal project cost estimating activity.

#### Revegetation

Rapid reestablishment of a vegetative ground cover to maintain site integrity and prevent further erosion is paramount in many LRAM projects. Reestablishing vegetation can be accomplished through direct seeding, hydroseeding, or transplanting of species adapted to general climatic and edaphic conditions of the site. Direct seeding techniques include drill seeding, hydroseeding, and broadcasting seed onto soil surfaces using ground equipment or aircraft. If possible, drill seeding should always take place in prepared seedbeds and broadcasting seed should only be considered in situations where there is some assurance that sown seeds can be covered with soil to increase the probability of successful revegetation (Vallentine 1989).

Drill seeding uniformly distributes and covers seed at the proper planting depth in a single farming operation, resulting in enhanced germination, establishment, and stand uniformity when compared to broadcasting and hydroseeding. Broadcasting and hydroseeding may, however, be the only means of seeding on remote or inaccessible

sites where rough terrain, steep slopes, and wet or rocky soils make seedbed preparation and drill seeding impractical. Table 8 provides regional cost estimates for drill seeding, hydroseeding, and broadcasting seed with ground equipment and aircraft. Due to regional differences in species adaptability and availability, the price of seed is not included in cost estimates for drill seeding and broadcasting. Cost estimates for hydroseeding, on the other hand, include the price of regionally adapted seed, starter fertilizer, and mulch.

Drill seeding costs were highest in Pacific Coast and Intermountain regions where the more unfavorable site conditions associated with rangeland revegetation projects result in increased prices (Table 8). Conversely, drill seeding costs were lowest in Northern Great Plains, Southern Great Plains, and Central Lake regions where favorable site conditions associated with production agriculture result in lower prices. The cost of broadcasting seed with ground equipment and aircraft is lower than that for drill seeding in all regions (Table 8). Compensating for uneven seed distribution and poorer germination responses associated with either form of broadcasting, however, requires increased seeding rates, which may offset any perceived savings attributed to these methods. Compared to drill seeding and broadcasting, hydroseeding is extremely expensive and should be restricted to LRAM sites for which no other alternatives exist (Table 8).

Table 8. Regional average costs and ranges for revegetation using direct seeding methods.

	Estimate Type	Types of Direct Seeding Methods						
Region		Drill Seeding	Broadcast Seeding	Aerial Seeding	Hydroseeding			
Pacific Coast	Average	16.62/acre	6.00/acre	9.55/acre	2032.00/acre			
	Range	8-30/acre	5-8/acre	6-14/acre	1129-4791/acre			
Intermountain	Average	13.39/acre	5.49/acre	6.95/acre	2054.00/acre			
	Range	5-47/acre	3-7/acre	5-15/acre	1200-4791/acre			
Northern Great Plains	Average	7.28/acre	6.20/acre	6.23/acre	1717.00/acre			
	Range	3-14/acre	5-7/acre	3-12/acre	968-4600/acre			
Southern Great Plains	Average	7.83/acre	5.12/acre	4.97/acre	1716.00/acre			
	Range	5-19/acre	3-7/acre	4-6/acre	1200-2300/acre			
Central Lake	Average	9.19/acre	4.68/acre	6.02/acre	2750.00/acre			
	Range	2-16/acre	2-11/acre	5-7/acre	500-5000/acre			
Northeast	Average	11.32/acre	6.98/acre	10.30/acre	2568.00/acre			
	Range	6-18/acre	5-13/acre	6-14/acre	1500-3500/acre			
Humid South	Average	10.38/acre	6.01/acre	6.43/acre	1533.00/acre			
	Range	4-20/acre	4-12/acre	5-10/acre	1000-2000/acre			

Under special circumstances or within some vegetation types, it may be desirable to transplant vegetation rather than establish it from seed. This is especially true for many shrubs and trees that, because of their highly specific germination requirements and/or slow growth characteristics, probably would not or could not establish from seed on many LRAM sites.

Cost estimates for transplanting bare root and containerized tree and shrub saplings/seedlings vary significantly within and between regions (Table 9) depending on species, growth and maintenance requirements, age, and size. These cost estimates are based on bulk purchases of at least 1000 trees or shrubs; prices will increase if smaller lots are purchased. It should be noted that for many species, costs can significantly exceed those presented in Table 9 and reliable estimates should be based on site-specific recommendations and requirements. Desirable, intensively managed, greenhouse grown species with exacting germination and growth requirements will be more expensive to purchase and transplant than fast-growing species raised in outdoor

Table 9. Regional average costs and ranges for revegetation using transplants.

		Types of Plant Materials Available for Transplanting					
Region	Estimate Type	Trees and Shrubs, Bare Root*	Trees and Shrubs, Containerized*	Grass Sods**	Grass Stolons and Rhizomes		
Pacific Coast	Average	0.48/plant	1.35/plant	3.15/sy	***		
	Range	0.22-0.60/plant	0.80-2.50/plant	2.00-4.60/sy	***		
Intermountain	Average	1.59/plant	10.29/plant	2.80/sy	***		
	Range	0.75-4.79/plant	1.26-30.00/plant	1.90-4.10/sy	***		
Northern Great Plains	Average	0.71/plant	1.57/plant	1.85/sy	***		
	Range	0.24-1.10/plant	0.55-5.14/plant	1.00-2.47/sy	**:		
Southern Great Plains	Average	0.90/plant	2.55/plant	3.25/sy	59.01/acre		
	Range	0.36-2.00/plant	1.00-4.00/plant	1.00-5.00/sy	38.00-95.00/acre		
Central Lake	Average	0.39/plant	1.38/plant	2.32/sy	**		
	Range	0.23-1.07/plant	0.60-4.25/plant	2.00-2.50/sy	**		
Northeast	Average	0.26/plant	0.65/plant	1.10/sy	**		
	Range	0.12-0.46/plant	0.30-1.05/plant	0.40-1.65/sy	**		
Humid South	Average	0.31/plant	0.80/plant	2.58/sy	72.73/acr		
	Range	0.11-1.09/plant	0.40-2.00/plant	2.20-3.50/sy	32.35-130.00/acr		

<sup>\*</sup> These costs are based on purchases of at least 1000 units.

<sup>\*\*</sup> sy = square yard

<sup>\*\*\*</sup> Indicates data not available or not applicable

flats. Containerized plants, regardless of species, age, or size, will be more expensive than bare root counterparts (Table 9) due to increased survivability following transplantation (Utah Agricultural Experiment Station 1979; Blauer, et al. 1993) and the ease with which they can be transported, handled, and mechanically planted. Transplanting the very limited selection of trees and shrubs adapted to the arid/semiarid Intermountain region (Blauer, et al. 1993) is nearly twice as expensive as other regions (Table 9) because water is usually applied to individual plants following transplanting to increase chances for long-term survival (Pendleton, Frischknecht, and McArthur 1992). Under exceptionally arid conditions, irrigating plants for several weeks after transplanting may be essential for plant survival (Utah Agricultural Experiment Station 1979). Conversely, the greater selection of trees and shrubs adapted to Northeast, Humid South, and Central Lake regions, where water application following transplanting is usually not required for survival, results in much lower costs.

Transplanting grass stolons, rhizomes, or sod is occasionally used in place of seeding to establish vegetation on disturbed sites. Bermudagrass [Cynodon dactylon (L.) Pers.] is the most common grass established by this method (Burton and Hanna 1985) and is used primarily in the Southern Great Plains and Humid South regions (Table 9). Other rhizomatous and stoloniferous grasses can be of local importance but cost estimates for transplanting them are not readily available. Grass sod is frequently used in small urban landscaping projects where anticipated benefits outweigh transplanting costs. On larger LRAM projects that will be less intensively managed, grass sod transplanting costs are probably prohibitive except under very specific circumstances. These grass transplanting options are all significantly more expensive than seeding (Tables 8 and 9) and should be restricted to sites where no other viable alternatives exist.

#### Safeguards for Revegetation Success

Immediately following a revegetation effort, surface mulching is often needed to protect the site from further erosion until recently seeded or transplanted vegetation becomes established. Surface mulches can impede runoff and erosion, increase available soil water, lower soil temperatures, reduce evaporation, and conserve moisture available to plant roots (Hungerford and Babbitt 1987). Straw or hay, applied at a rate of 2 tons/acre, is the most common surface mulching practice. To ensure that straw mulches remain on recently revegetated areas, application is usually followed by disking or crimping the mulch into the soil surface with various farm implements to prevent mass movement (Utah Agricultural Experiment Station 1979). Under extreme conditions, fabrics and netting stapled over straw mulches are used to

hold it in place. Regional cost estimates for straw mulching (2 tons/acre) held in place by disking, crimping, and fabrics/netting are shown in Table 10. The cost of fabrics and netting are presented separately and should be added to the costs associated with disking straw mulch into the soil surface (Table 10). Costs vary depending on straw availability and slope steepness, which affects equipment selection and application method (blower versus hand application).

Various chemical tackifiers are also used in place of disking, crimping, fabrics, and netting to hold straw mulches in place. Cost data concerning tackifiers was very limited but suggested that costs would be about 40 percent greater than those associated with straw mulching followed by disking (data not shown).

Chemical mulches, such as asphalt emulsions, can also be used in place of straw. They can hasten germination and development of some grasses, maintain moisture in the topsoil for longer periods of time, and increase soil temperatures during colder portions of the growing season; however, hail and high intensity rains tend to weaken or

Table 10. Regional average costs and ranges for materials to safeguard revegetation success.

		Types of Safeguarding Materials						
Region	Estimate Type	Straw Mulch , Crimped*	Straw Mulch, Disked*	Gravel Mulch**	Fabrics and Netting***			
Pacific Coast	Average	461.33/acre	461.33/acre	20.64/cy	1.49/sy			
	Range	330-616/acre	330-616/acre	18-22/cy	0.60-3.40/sy			
Intermountain	Average	383.63/acre	416.36/acre	17.23/cy	1.56/sy			
	Range	270-500/acre	270-520/acre	16-19/cy	0.74-3.00/sy			
Northern Great	Average	304.72/acre	323.61/acre	16.93/cy	2.16/sy			
Plains	Range	160-500/acre	160-530/acre	10-19/cy	0.45-5.85/sy			
Southern Great	Average	385.00/acre	385.00/acre	14.53/cy	1.61/sy			
Plains	Range	230-490/acre	230-490/acre	13-16/cy	0.54-6.35/sy			
Central Lake	Average	458.00/acre	466.00/acre	22.42/cy	1.58/sy			
	Range	220-700/acre	220-750/acre	16-41/cy	1.50-1.71/sy			
Northeast	Average	476.00/acre	476.00/acre	22.72/cy	1.71/sy			
	Range	220-1050/acre	220-1050/acre	9-35/cy	0.72-4.68/sy			
Humid South	Average	335.00/acre	335.00/acre	26.86/cy	1.86/sy			
	Range	250-500/acre	250-500/acre	18-35/cy	1.10-7.02/sy			

<sup>\*</sup> These cost estimates are based on straw application rates of 2 tons/acre

<sup>\*\*</sup> cy = cubic yard

<sup>\*\*\*</sup> sy = square yard

destroy their integrity and usefulness (Bement, et al. 1961). Extremely limited cost data from the Pacific Coast, Intermountain, and Central Lake regions indicates that asphalt emulsions are similar in price to straw mulch followed by disking (data not shown).

Gravel can also be used as a mulching material, although it is more frequently used as a deep, permanent mulch that prevents plant growth or as an erosion control material. Thin layers of gravel are effective for controlling wind erosion on highly susceptible revegetated sites due to increased soil surface coverage and roughness (Fryrear and Bilbro 1994). Provided the gravel layer is not thick and continuous, plant germination and establishment should not be compromised. Table 10 provides regional cost estimates for gravel. Remoteness of the job site, proximity to quarries, and gravel size contribute to price variability. Generally, gravel is too expensive for use on large revegetated areas requiring mulching for enhanced plant establishment, water conservation, and wind erosion control. Other alternatives should be investigated.

27

## 4 Summary

This report provides current, regionally-based cost estimates for component activities associated with rehabilitation and maintenance of Army training lands. Data used to prepare these estimates were obtained from numerous Federal, State, and private agencies involved in similar types of activities. Although there were numerous exceptions, land rehabilitation and maintenance costs are generally higher within Pacific Coast, Northeast, and Intermountain regions. This is a reflection of the higher costs of goods and services in Pacific Coast and Northeast regions, and greater distances to job sites coupled with reduced equipment availability and generally poorer soil conditions in the Intermountain region. Lowest land rehabilitation and maintenance costs were generally observed within Northern Great Plains, Southern Great Plains, and Central Lake regions. Well-developed agricultural production enterprises within these regions results in greater equipment availability, higher proportions of experienced, agriculturally oriented contractors and vendors, and reduced costs.

Land rehabilitation and maintenance costs can and do vary significantly within and between regions due to differences in climate, geology, soils, vegetation types, remoteness of job sites, project size, skilled labor sources, contract types, and equipment availability and ownership. Therefore, data in this report should be used with caution and only as a general reference for decisionmaking. Actual cost estimates presented in this report will change with time and may require periodic update to remain current. Relative costs, the ratio of prices between similar types of activities (i.e., drill seeding versus broadcast seeding), should, however, remain relatively constant over time, ensuring their future applicability.

## References

- Aguilar, R., E.F. Kelly, and R.H. Heil, "Effects of Cultivation on Soils in Northern Great Plains Rangeland," Soil Science Society of America Journal, No. 52 (1988), pp 1081-1085.
- Alexander, M., Introduction to Soil Microbiology (John Wiley & Sons, 1977).
- A.C.E., Architects, Contractors, and Engineers Guide to Construction Costs (A.C.E. Publishing Co., 1994).
- Bement, R.E., D.F. Hervey, A.C. Everson, and L.O. Hylton, Jr., Use of Asphalt-Emulsion Mulches to Hasten Grass Seedling Establishment, *Journal of Range Management*, No. 14 (1961), pp 102-109.
- Bidwell, T.G., and R.E. Masters, *Using Prescribed Fire in Oklahoma*, Circular E-297 (Oklahoma Cooperative Extension Service, Oklahoma State University, 1993).
- Blauer, A.C., E.D. McArthur, R. Stevens, and S.D. Nelson, Evaluation of Roadside Stabilization and Beautification Plantings in South-Central Utah, Research Paper INT-462 (U.S. Department of Agriculture, Forest Service, Inter-mountain Research Station, March 1993).
- Bovey, R.W., Response of Selected Woody Plants in the United States to Herbicides, Agricultural Handbook 493 (U.S. Department of Agriculture, Agricultural Research Service, 1977).
- Brady, N.C., The Nature and Properties of Soils, Eighth Edition (Macmillan Publishing Company, Inc., 1980).
- Buol, S.W., F.D. Hole, and R.J. McCracken, Soil Genesis and Classification, Second Edition (Iowa State University Press, 1980).
- Burton, G.W., and W.W. Hanna, Forages, The Science of Grassland Agriculture (Iowa State University Press, 1985), pp 247-254.
- Campbell, A.G., R.L. Folk, and R.R. Tripepi, "Amended and Composted Log Yard Fines as a Growth Medium for Crimson Clover and Red Top Grass," Communications in Soil Science and Plant Analysis, No. 25 (1994), pp 2439-2454.
- Carlton, H.H., G.H. Abernathy, C.C. Yarbrough, and D.K. Gardner, "Rootplowing and Seeding Arid Rangelands in the Southwest," *Journal of Range Management*, No. 26 (1973), pp 193-197.
- Davidson, E.A., and I.L. Ackerman, "Changes in Soil Carbon Inventories Following Cultivation of Previously Untilled Soils," *Biogeochemistry*, No. 20 (1993), pp 161-193.

Diersing, V.E., and W.D. Severinghaus, The Effects of Tactical Vehicle Training on the Lands of Fort Carson, CO-An Ecological Assessment, Technical Report (TR) N-85/03/ADA152142 (U.S. Army Construction Engineering Research Laboratories [USACERL], December 1984).

- Feagley, S.E., M.S. Valdez, and W.H. Hudnall, "Papermill Sludge, Phosphorus, Potassium, and Lime Effect Clover Grown on a Mine Soil," *Journal of Environmental Quality*, No. 23 (1994), pp 759-765.
- Fryrear, D.W., and J.D. Bilbro, Managing Agricultural Residues (Lewis Publishers, 1994), pp 7-17.
- Goran, W.D., L.L. Radke, and W.D. Severinghaus, An Overview of the Ecological Effects of Tracked Vehicles on Major U.S. Army Installations, Technical Report (TR) N-142/ADA126694 (USACERL, February 1983).
- Hennessy, J.T., R.P. Gibbens, J.M. Tromble, and M. Cardenas, "Vegetation Changes From 1935 to 1980 in Mesquite Dunelands and Former Grasslands of Southern New Mexico," *Journal of Range Management*, No. 36 (1983), pp 370-374.
- Hungerford, R.D., and R.E. Babbitt, Overstory Removal and Residue Treatments Affect Soil Surface, Air, and Soil Temperature: Implications for Seedling Survival, Research Paper INT-377 (U.S. Department of Agriculture, Forest Service, Intermountain Research Station, March 1987).
- Johnson, F.L., Effects of Tank Training Activities on Botanical Features at Fort Hood, Texas, Southwest Naturalist, No. 27 (1982), pp 309-314.
- Johnson, H.B., and H.S. Mayeux, "Prosopis Glandulosa and the Nitrogen Balance of Rangelands: Extent and Occurrence of Nodulation," *Oecologia*, No. 84 (1990), pp 176-185.
- Laflen, J.M., R.E. Highfill, M. Amemiya, and C.K. Mutchler, Soil Erosion and Crop Productivity (American Society of Agronomy, Inc., 1985), pp 432-440.
- Means Site Work and Landscape Cost Data, 13th Annual Edition (R.S. Means Co., Inc., 1994).
- Pendleton, R.L., N.C. Frischknecht, and E.D. McArthur, Long-term Survival of 20 Selected Plant Accessions in a Rush Valley, Utah, Planting, Research Note INT-403 (U.S. Department of Agriculture, Forest Service, Intermountain Research Station, May 1992).
- Pichtel, J.R., W.A. Dick, and P. Sutton, "Comparison of Amendments and Management Practices for Long-Term Reclamation of Abandoned Mine Lands," *Journal of Environmental Quality*, No. 23 (1994), pp 766-772.
- Scifres, C.J., Brush Management, Principles and Practices for Texas and the Southwest (Texas A&M University Press, 1980).
- Sharpley, A.N., S.J. Smith, and W.R. Bain, Nitrogen and Phosphorus Fate From Long-Term Poultry Litter Applications to Oklahoma Soils, Soil Science Society of America Journal, No. 57 (1993), pp 1131-1137.

- U.S. Department of Agriculture, Natural Resources Conservation Service, Land Resource Regions and Major Land Resource Areas of the United States, Agriculture Handbook 296, December 1981.
- U.S. Department of Agriculture, Forest Service, Cost Estimating Guide for Road Construction, Region 4, 1994.
- U.S. Department of the Army, Training Circular (TC) 25-1, *Training Land*, (Headquarters, Department of the Army [HQDA],1978.
- U.S. Department of the Army, Facilities Engineering and Housing Annual Summary of Operations, Fiscal Year 1989 (Office of the Assistant Chief of Engineers [OACE], USAEHSC, 1989).
- Utah Agricultural Experiment Station, Selection, Propagation, and Field Establishment of Native Plant Species on Disturbed Arid Lands, Bulletin 500 (Institute for Land Rehabilitation, 1979).
- Vallentine, J.F., Range Development and Improvements, Third Edition (Academic Press Inc., 1989).

31

# Appendix A: Reference List for Cost Data Sources

- Aakre, D., Custom Farm Work Rates on North Dakota Farms, 1992, by North Dakota Farming Regions, EC-499 (North Dakota State University Extension Service, North Dakota State University, August 1993).
- Agricultural Stabilization and Conservation Service, Alaska Agricultural Conservation Program for Palmer County ASCS Office, (United States Department of Agriculture, Palmer County Office, Palmer, AK, January 1994).
- Agricultural Stabilization and Conservation Service, State Program Handbook for Tennessee ASCS Offices, Tennessee Agricultural Conservation Program (United States Department of Agriculture, Tennessee State Office, Nashville, TN, September 1994).
- Archer, D., Agricultural Economist, United States Department of Agriculture, Natural Resources Conservation Service, Spokane, WA, letter, 17 November 1994.
- Barnes, C., L. Honig, T. Byram, and E.J. Thiessen, 1993 Rates Paid by Kansas Farmers for Custom Work, Kansas Department of Agriculture Report 990 (Kansas Department of Agriculture, January 1994).
- Barwick, L., Mined Land Reclamation Specialist, Alabama Department of Industrial Relations, Abandoned Mine Land Reclamation, Birmingham, AL, letter, 8 July 1994.
- Bastian, C.T., J.J. Jacobs, and M.A. Smith, How Much Sagebrush is Too Much: An Economic Threshold Analysis, *Journal Of Range Management*, No. 48 (1995), pp 73-80.
- Boyle, K., State Economist, United States Department of Agriculture, Natural Resources Conservation Service, Davis, CA, telephone conversation, 26 August 1994.
- Caudle, J., Arkansas State Resources Conservationist, United States Department of Agriculture, Natural Resources Conservation Service, Little Rock, AR, letter, 4 October 1994.
- Clemson University Cooperative Extension Service, 1994 Farm Machinery Custom Rates (Cooperative Extension Service, Clemson University, Clemson, SC, 1994).
- Crews, J.R., and C.B. Ogburn, Alabama, 1993 Custom Farm Machinery Rates, EXTCRS 1-1994 (Alabama Cooperative Extension Service, Auburn University, 1994).
- Department of Transportation and Public Facilities, Bid Tabulation Summaries 1989-1994, Central Region Highways (State of Alaska, Anchorage, AK, 1994), pp 144-157.

Doanes Agricultural Report, 1994 Farm Machinery Custom Rates Guide, *Doanes Agricultural Report*, No. 57 (1994).

- Doster, D.H., Indiana Custom Rates for Power Operated Farm Machines, 1992, EC-130 (Cooperative Extension Service, Purdue University, September 1993).
- Duvick, R.D., Farm Custom Rates Paid in Ohio, 1993, ESO-2135, AGDEX 825 (Ohio State University Extension, Department of Agricultural Economics and Rural Sociology, The Ohio State University, 1994).
- Edwards, W., and T. Davis, 1994 Iowa Farm Custom Rate Survey, FM-1698 (Iowa Cooperative Extension Service, Iowa State University, February 1994).
- Evans, S.G., and J.P. Workman, Optimization of Range Improvements on Sagebrush and Pinyon-Juniper Sites, *Journal of Range Management*, No. 47 (1994), pp 159-164.
- Forest Service, *Time and Motion Study May 1, 1994 thru September 1, 1994* (United States Department of Agriculture, Region 10, Juneau, AK, September 1994).
- Forest Service, Interim Cost Guide for the Construction of Roads and Bridges (United States Department of Agriculture, Alaska Region, Juneau, AK, July 1994).
- Forest Service, Guide for Estimating Road Construction Costs (United States Department of Agriculture, Pacific Southwest Region, Pleasant Hill, CA, November 1993).
- Forest Service, Cost Estimating Guide for Road Construction (United States Department of Agriculture, Region 1, Missoula, MT, January 1994).
- Forest Service, Cost Estimating Guide for Road Construction (United States Department of Agriculture, Region 6, Portland, OR, October 1993).
- Forest Service, Engineers Guide for Estimating Costs of Survey, Design, and Construction of Roads and Bridges (United States Department of Agriculture, Region 10, Juneau, AK, December 1992).
- Gerloff, D.C., Field Crop Budgets for 1994 (Agricultural Extension Service, University of Tennessee Institute of Agriculture, January 1994).
- Harryman, W.R., *Illinois Farm Machinery Cost Estimates for 1993-1994*, Issue 93-16 (Illinois Cooperative Extension Service, College of Agriculture, University of Illinois, October 1993).
- Hay and Forage Grower, Production Prospects Look Good, Hay and Forage Grower, No.4 (April 1993), pp 34.
- Hensler Nursery, Hardwood Price List, Spring 1995 (Hensler Nursery, Inc., Hamlet, IN, 1995).
- Hewitt, T.D., Custom Rates for Farm Machinery Services in North Florida (Florida Cooperative Extension Service, Food and Resource Economics, Institute of Food and Agricultural Sciences, University of Florida, 1993).

Hewlett, J.P., and B.R. Munsell, Custom Rates for Farm/Ranch Operations in Wyoming 1992-93, B-703R (Cooperative Extension Service, Department of Agricultural Economics, University of Wyoming, May 1994).

- Hewlett, J.P., and C. Bastian, Crop Enterprise Budget, Alfalfa Establishment, Wheatland Area, MP-72 (Cooperative Extension Service, Department of Agricultural Economics, University of Wyoming, June 1992).
- Higgins, L., Range Conservationist, United States Department of the Interior, Bureau of Land Management, Phoenix, AZ, telephone conversation, 14 July 1994.
- Hunter, D.L., and L.H. Keller, Farm Machinery Custom Rates, PB 1085 (Agricultural Extension Service, University of Tennessee, 1991).
- Jobes, R., and D.D. Kletke, Oklahoma Farm and Ranch Custom Rates, 1993-94, Current Report 205 (Oklahoma Cooperative Extension Service, Division of Agricultural Sciences and Natural Resources, Oklahoma State University, 1994).
- Jordan, J.J., and D.B. Luke, 1994 Estimated Machinery Costs for South Carolina Farms, Extension Economics Report [EER] 152 (Cooperative Extension Service, Department of Agricultural and Applied Economics, Clemson University, April 1994).
- Kansas State Conservation Commission, Water Resources Cost-Share Program (Clay County Conservation District, Clay County, KS, May 1994).
- Kansas State Conservation Commission, Water Resources Cost-Share Program (Geary County Conservation District, Geary County, KS, May 1994).
- Kemmerle, S., Agricultural Economist, United States Department of Agriculture, Natural Resources Conservation Service, Dover, DE, letter, 6 September, 1994.
- Kerr Center, 1991-94 Annual Report (Kerr Center for Sustainable Agriculture, Poteau, OK, 1994).
- Klonsky, K., Agricultural Economist, University of California, Davis, CA, telephone conversation, 27 July 1994.
- Krisfeld, K., Extension Agent-Agriculture, Cornell University Cooperative Extension, Owego, NY, letter, 31 August 1994.
- Lazarus, B., A. Brudelie, J. Christensen, E. Fuller, V. Richardson, D. Talley, E. Weness, and L. Westman, Minnesota Farm Custom Rate Survey for 1994, FO-3700-B (Minnesota Extension Service, University of Minnesota, 1994).
- Lewis, B., Agricultural Economist, United States Department of Agriculture, Natural Resources Conservation Service, Champaign, IL, letter, 30 June 1994.

34

Massey, R.E., 1992 Nebraska Farm Custom Rates-Part 1, G75-207 (Nebraska Cooperative Extension Service, Institute of Agriculture and Natural Resources, University of Nebraska-Lincoln, November 1992).

- Massey, R.E., 1992 Nebraska Farm Custom Rates-Part 2, G75-249 (Nebraska Cooperative Extension Service, Institute of Agriculture and Natural Resources, University of Nebraska-Lincoln, April 1993).
- McGann, R., Sales Representative, Hydro-Plant, Inc., San Marcos, CA, telephone conversation, 29 August
- Miller, C., State Resource Conservationist, United States Department of Agriculture, Natural Resources Conservation Service, Anchorage, AK, telephone conversation, 15 July 1994.
- Moore, K.C., J, Chang, R.K. Rudel, G.M. Ehlmann, and D.L. Pfost, Custom Rates for Farm Services in Missouri, G302 (Cooperative Extension Service, University of Missouri-Columbia, 1991).
- Moore, R.L., Revegetation Supervisor, Thunder Basin Coal Company, Wright, WY, letter, 22 September 1994.
- Musser Forests, The Coming of Spring 1995 Catalog (Musser Forests Inc., Indiana, PA, 1995).
- Natural Resources Conservation Service, Eligible Practices and Average Costs for RAMP in Alabama, Subpart C, Program Operations (United States Department of Agriculture, Auburn, AL, July 1994).
- Natural Resources Conservation Service, Field Office Technical Guide, Cost Data (United States Department of Agriculture, Auburn, AL, March 1994), Section 5.
- Natural Resources Conservation Service, Field Office Technical Guide, Cost Sharing (United States Department of Agriculture, Lakewood, CO, April 1992), Section 1.
- Natural Resources Conservation Service, Field Office Technical Guide, Supplement to Long Term Contract Practice and Cost List, Great Plains Conservation Program, Area 3 (United States Department of Agriculture, Lakewood, CO, February 1994).
- Natural Resources Conservation Service, Field Office Technical Guide, Cost Data (United States Department of Agriculture, Storrs, CT, March 1994), Section 1.
- Natural Resources Conservation Service, Field Office Technical Guide, Average Costs, Florida (United States Department of Agriculture, Gainesville, FL, January 1994), Section 1.
- Natural Resources Conservation Service, Field Office Technical Guide, Cost Data (United States Department of Agriculture, Athens, GA, May 1993), Section 1.
- Natural Resources Conservation Service, Field Office Technical Guide, Flat Rate Schedule, Conservation Practices (United States Department of Agriculture, Boise, ID, March 1994), Section 1.

Natural Resources Conservation Service, Field Office Technical Guide, Cost Data (United States Department of Agriculture, Champaign, IL, September 1992), Section 1.

- Natural Resources Conservation Service, General Manual (120-GM, Amend. IA31), Subpart D-Cost Sharing (United States Department of Agriculture, Des Moines, IA, April 1994).
- Natural Resources Conservation Service, Field Office Technical Guide, Flat Rate Schedule, Conservation Practices (United States Department of Agriculture, Indianapolis, IN, August 1992).
- Natural Resources Conservation Service, Field Office Technical Guide, Flat Rate Schedule of Conservation Practices (United States Department of Agriculture, Salina, KS, June 1992), Section 1.
- Natural Resources Conservation Service, Field Office Technical Guide, Average Costs-Identifiable Units (United States Department of Agriculture, Lexington, KY, January 1993).
- Natural Resources Conservation Service, Field Office Technical Guide, Flat Rate Schedule, Conservation Practices 1993 (United States Department of Agriculture, Alexandria, LA, June 1993), Section 1.
- Natural Resources Conservation Service, Field Office Technical Guide, Cost Data (United States Department of Agriculture, Anapolis, MD, June 1992), Section 1.
- Natural Resources Conservation Service, Field Office Technical Guide, Flat Rate Schedule-Costs of Conservation Practices (United States Department of Agriculture, East Lansing, MI, May 1993), Section 5.
- Natural Resources Conservation Service, Field Office Technical Guide, Flat Rate Schedule-Costs of Conservation Practices, Crop Budget System, Mississippi (United States Department of Agriculture, Jackson, MS, October 1992), Section 1.
- Natural Resources Conservation Service, Field Office Technical Guide, Costs of Conservation Practices, (United States Department of Agriculture, Columbia, MO, 1991).
- Natural Resources Conservation Service, Field Office Technical Guide, Average Cost for Applying Selected Conservation Practices and Materials Costs for Estimating Designed Practice Costs (United States Department of Agriculture, Bozeman, MT, December 1991), Section 1.
- Natural Resources Conservation Service, Field Office Technical Guide, Nebraska Flat Rate Schedule (United States Department of Agriculture, Lincoln, NE, July 1994), Section 1.
- Natural Resources Conservation Service, Field Office Technical Guide, Cost Data (United States Department of Agriculture, Syracuse, NY, April 1993), Section 1.
- Natural Resources Conservation Service, Great Plains Conservation Program, New Mexico-1994 Program Year (United States Department of Agriculture, Albuquerque, NM 1994).
- Natural Resources Conservation Service, Field Office Technical Guide, Average Cost of Installing Conservation Practices (United States Department of Agriculture, Raleigh, NC, June 1992), Section 1.

Natural Resources Conservation Service, Field Office Technical Guide Notice ND-29, Cost Data (United States Department of Agriculture, Bismarck, ND, January 1994), Section 1.

- Natural Resources Conservation Service, Field Office Technical Guide, Flat Rate Schedule, Conservation Practices (United States Department of Agriculture, Columbus, OH, July 1994), Section 1.
- Natural Resources Conservation Service, Great Plains Conservation Program, Eligible Practices, Average Costs, and Cost Share Rates, Clinton Area 4 (United States Department of Agriculture, Stillwater, OK, October 1993).
- Natural Resources Conservation Service, Great Plains Conservation Program, Eligible Practices, Average Costs, and Cost Share Rates, Woodward Area 1 (United States Department of Agriculture, Stillwater, OK, October 1993).
- Natural Resources Conservation Service, Field Office Technical Guide, Flat Rate Schedule-Costs of Conservation Practices (United States Department of Agriculture, Portland, OR, July 1992).
- Natural Resources Conservation Service, Yellow Creek Land Treatment Watershed, Bedford County, Pennsylvania, Systems Cost List 1994 (United States Department of Agriculture, Northeast Technical Center, Chester, PA, 1994).
- Natural Resources Conservation Service, Field Office Technical Guide, Flat Rate Schedule-Conservation Practices (United States Department of Agriculture, Harrisburg, PA, July 1992).
- Natural Resources Conservation Service, Agriculture Conservation Program Handbook, Master Component Code Listing 1994 (United States Department of Agriculture, Columbia, SC, March 1994).
- Natural Resources Conservation Service, Agriculture Conservation Program Handbook, Statewide Average Costs for Materials and Services (United States Department of Agriculture, Columbia, SC, November 1993).
- Natural Resources Conservation Service, Field Office Technical Guide, Great Plains Contract Prices (United States Department of Agriculture, Huron, SD, 1994), Section 1.
- Natural Resources Conservation Service, Field Office Technical Guide, Elements of Cost Common to More Than One Practice (United States Department of Agriculture, Coryell County, TX, October 1993).
- Natural Resources Conservation Service, Field Office Technical Guide, Elements of Costs of Identifiable Units (United States Department of Agriculture, Lamar County, TX, May 1993).
- Natural Resources Conservation Service, Field Office Technical Guide, Elements of Cost Common to More Than One Practice (United States Department of Agriculture, Taylor County, TX, April 1993).
- Natural Resources Conservation Service, Vermont's Average Cost Tables 1993 (United States Department of Agriculture, Winooski, VT, 1993).

37

Natural Resources Conservation Service, Cripple Creek Average Cost List 1994 (United States Department of Agriculture, Richmond, VA, 1994).

- Natural Resources Conservation Service, Field Office Technical Guide, Flat Rate Schedule, Costs of Conservation Practices (United States Department of Agriculture, Richmond, VA, September 1991), Section 1.
- Natural Resources Conservation Service, *Tucannon River Watershed-PL-566*, *Project Practice and Annual Average Cost List* (United States Department of Agriculture, Spokane, WA, August 1994).
- Natural Resources Conservation Service, Goshen County Average Cost Table, (United States Department of Agriculture, Casper, WY, January 1994).
- Natural Resources Conservation Service, *Laramie County Average Cost Table*, (United States Department of Agriculture, Casper, WY, 1994).
- Nebraska Cooperative Extension Service, A 1994 Guide for Herbicide Use in Nebraska, E.C. 94-130-D (Nebraska Cooperative Extension Service, Institute of Agriculture and Natural Resources, University of Nebraska-Lincoln, 1994).
- Olson, R., J. Hansen, T. Whitson, and J. Johnson, Tebuthiuron to Enhance Rangeland Diversity, Rangelands, No. 16 (1994), pp 197-201.
- Page, L., State Economist, United States Department of Agriculture, Natural Resources Conservation Service, Salt Lake City, UT, telephone conversation, 3 August 1994.
- Pennsylvania Department of Environmental Resources, 1993 Average Cost Tables for Best Management Practices (Bureau of Land and Water Conservation, Harrisburg, PA, June 1993).
- Pennsylvania Farmer, Mid-Atlantic Custom Rates Erratically Higher, *Pennsylvania Farmer*, May (1994), pp 8.
- Pflueger, B.W., Custom Work Rates Paid in South Dakota, EMC 917 (Cooperative Extension Service, South Dakota State University, June 1992).
- Polulech, J., Design and Construction Engineer, United States Department of Agriculture, Natural Resources Conservation Service, Storrs, CT, letter, 2 August 1994.
- Reddig, G., Agricultural Economist, United States Department of Agriculture, Natural Resources Conservation Service, Gainesville, FL, telephone conversation, 4 August 1994.
- Remer, R.J., Enterprise Cost Report for Irrigated Crops Including Corn, Moiese Irrigation Unit, Flathead Irrigation Project, Lake County Montana (United States Department of Agriculture, Natural Resources Conservation Service, Bozeman, MT, January 1993).
- Schley, F., Range Conservationist, United States Department of the Interior, Bureau of Land Management, Boise, ID, telephone conversation, 1 September 1994.

38

Schwab, G.D., and M.E. Siles, *Custom Work Rates in Michigan*, AEC Staff Paper 94-23 (Department of Agricultural Economics, Michigan State University, April 1994).

- Selders, A.W., Extension Specialist-Agricultural Engineering, Cooperative Extension Service, West Virginia University, Morgantown, WV, telephone conversation, 30 August 1994.
- Spencer, L., State Conservation Engineer, United States Department of Agriculture, Natural Resources Conservation Service, Reno, NV, telephone conversation, 2 August 1994.
- Stevens, R., Research Biologist, State of Utah, Department of Natural Resources, Division of Wildlife Resources, Great Basin Research Center, Ephriam, UT, letter, 27 September 1994.
- Taylor, A.R., Agricultural Engineer, United States Department of Agriculture, Natural Resources Conservation Service, Orono, ME, letter, 11 November 1994.
- Thunder Basin Coal Company, 1993 Annual Report, Black Thunder Mine (Thunder Basin Coal Company, Wright, WY, December, 1993), pp 28-38.
- Thunder Basin Coal Company, 1993 Annual Report, Cordero Mine (Thunder Basin Coal Company, Wright, WY, December, 1993), pp 43-51.
- Tilmon, H.D., and C. German, Consideration in Using Custom Services and Machinery Rental: Custom Rates and Guidelines for Computing Machinery Ownership Costs, Extension Circular A.E. 11 (Delaware Cooperative Extension, University of Delaware, College of Agricultural Sciences, May 1992).
- Tranel, J.E., R. Sharp, N. Dalsted, and P. Gutierrez, 1993 Custom Rates for Colorado Farms and Ranches (Cooperative Extension, Colorado State University, Department of Agricultural and Resource Economics, February 1994).
- University of Georgia Cooperative Extension Service, 1994 Farm Machinery Custom Rates, AG ECON 91-001R (Cooperative Extension Service, College of Agricultural and Environmental Sciences, University of Georgia, March 1994).
- Withers, R.V., P. Patterson, and W. Gray, Custom Rates for Idaho Agricultural Operations-1994-95, Bulletin No. 729 (Agricultural Experiment Station, College of Agriculture, University of Idaho, Moscow, ID, 1992).
- Wyoming Department of Environmental Quality, Standardized Reclamation Performance Bond Format and Cost Calculation Methods, Guideline No. 12 (Wyoming Department of Environmental Quality, Land Quality Division, Sheridan, WY, June 1992).

# **Appendix B: Approximate Retail Prices of Common Herbicides**

Herbicide	Unit	Unit Cost	Herbicide	Unit	Unit Cost	Herbicide	Unit	Unit Cost
2,4-D amine	Gallon	13.75	Cobra	Gallon	117.51	Marksman	Gallon	25.51
Aatrex 4L	Gallon	12.62	Crossbow	Gallon	43.00	Poast Plus	Gallon	48.39
Aatrex 80W	Pound	3.00	Diquat	Gallon	77.80	Princep 4L	Gallon	16.80
Accent	Pound	427.20	Dowpon M	Pound	2.15	Prowl	Gallon	29.76
Ally	Pound	455.36	Dual 8E	Gallon	63.61	Pursuit	Gallon	594.87
Amitrol-T	Gallon	21.50	Eptam 7E	Gallon	26.29	Ramrod	Gallon	14.93
Aquazine	Gallon	8.85	Eptam 10G	Pound	0.39	Roundup	Gallon	46.15
Assure II	Gallon	139.00	Eradicane	Gallon	23.58	Select	Gallon	204.24
Arsenal	Gallon	184.54	Frontier	Gallon	118.00	Sencor	Pound	24.16
Banvel	Gallon	74.45	Fusilade	Gallon	86.00	Spike 5G	Pound	3.00
Basagram	Gallon	64.47	Goal 1.6E	Gallon	77.00	Spike 80W	Pound	21.50
Beacon	Pound	400.96	Gramoxone	Gallon	30.76	Spike 20P	Pound	8.60
Bicep	Gallon	35.83	Harmony	Pound	191.52	Stinger	Gallon	466.22
Bladex 4L	Gallon	23.93	Hyvar XL	Gallon	51.00	Sutan +	Gallon	20.67
Bladex 90DF	Pound	5.31	Lasso	Gallon	27.98	Tordon 22K	Gallon	91.24
Bronco	Gallon	26.86	Lariat	Gallon	19.22	Tough	Gallon	86.80
Buctril	Gallon	52.45	Lexone 4L	Gallon	142.70	Treflan	Gallon	33.18
Clarity	Gallon	85.10	Lorox Plus	Pound	16.01	Velpar	Pound	29.50

#### USACERL DISTRIBUTION

Chief of Engineers

ATTN: CEHEC-IM-LH (2) ATTN: CEHEC-IM-LP (2)

ATTN: CECC-R ATTN: CERD-L

ATTN: DAIM-ED-N 20310-0600 ATTN: DAMO-TRO 20310-0400

US Army Europe

ATTN: AEAEN-ENVR 09114 ATTN: 100th Area Support Group

US Military Academy 10996-5000

ATTN: MAEN-EV ATTN: DOPS

National Guard Bureau Montgomery, AL 36109-0711 Fort Richardson, AK 99505-5800 Phoenix, AZ 85008-3495 N. Little Rock, AR 72118-2200 Sacramento, CA 95826-9101 Los Alamitos, CA 90720 Camp Roberts, CA 93451 Englewood, CO 80112 Hartford, CT 06105-3795 Wilmington, DE 19808-2191 Washington, DC 20003-1719 St. Augustine, FL 32085-1008 Starke, FL 32091-9703 Atlanta, GA 30316-0965 Honolulu, HI 96816-4495 Boise, ID 83707-4507 Springfield, IL 62702-2399 Indianapolis, IN 46241-4839 Johnston, IA 50131-1902 Topeka, KS 66611-1159 Frankfort, KY 40601-6168 New Orleans, LA 70146-0330 Augusta, ME 04333-0033 Baltimore, MD 21201-2288 Reading, MA 01867-1999 Camp Edwards, MA 02542-5003 Lansing, MI 48913-5101 Little Falls, MN 56345-0348 Jackson, MS 39209 Camp Shelby, MS 39407-5500 Jefferson, MO 65101-9051 Helena, MT 59604-4789 Lincoln, NE 68508-1090 Carson City, NV 89701-5596 Concord, NH 03301-5353 Trenton, NJ 08625 Latham, NY 12110-2224 Sante Fe. NE 87502 Bismarck, ND 58502-5511 Raleigh, NC 27607-6410 Columbus, OH 43235-2789 Oklahoma City, OK 73111-4389

Annville, PA 17003-5002 San Juan, PR 00904 Providence, RI 02904-5717 Rapid City, SD 57702-8186 Columbia, SC 29201 Eastover, SC 29244 Nashville, TN 37204-1501 Austin, TX 78763-5218 Draper, UT 84020-1776 Colchester, VT 05446-3004 Kings Hill, VI 00850-9764 Richmond, VA 23219 Spokane, WA 99219-9069 Tacoma, WA 98430-5054 Charleston, WV 25311-1085

Madison, WI 53714-0587

Cheyenne, WY 82003

Air Combat Command Avon Park AF Range, FL 33825-5700 Barksdale AFB, LA 71110-2078 Beale AFB, CA 95903-1708 Manteo, NC 27954-2269 Davis-Monthan AFB, AZ 85707-3920 Dyess AFB, TX 79607-1670 Ellsworth AFB, SD 57706-5000 Holloman AFB, NM 88330-8458 Langley AFB, VA 23655-2377 Little Rock AFB, AR 72099-5154 MacDill AFB, FL 33621-5207 Cannon AFB, NM 88103-5136 Minot AFB, ND 58705-5006 Moody AFB, GA 31699-1707 Nellis AFB, NV 89191-6546 Offutt AFB, NE 68113-4019 Pope AFB, NC 28308-2890 Mountain Home AFB, ID 83648-5442 Seymour Johnson AFB, NC 27531-2355 Shaw AFB, SC 29152-5123 Whiteman AFB, MO 65305-5060

US Army Materiel Command (AMC) Alexandria, VA 22333-0001 Anniston, AL 36201-5080 Lexington, KY 40511-5001 Granite City IL 62040-1801 Warren, MI 48397-5000 Kingsport, TN 37660-9982 Charlestown, IN 47111-9667 Middletown, IA 52638-5000 Parsons, KS 67357-9107 Independence, MO 64051-0250 Chambersburg, PA 17201-4150 Lima, OH 45804-1898 Texarkana, TX 75505-9101 Marshall, TX 75671-1059 McAlester, OK 74501-5000 Milan, TN 38358-5000 Stennis Space Center, MS 39529-7000 Newport, IN 47966-0121

Pine Bluff, AR 71602-9500 Pueblo, CO 81001-5000 Radford, VA 24141-0099 Texarkana, TX 75507-5000 Redstone Arsenal, AL 35898-5000 (2)

Rock Island, IL 61299 (3)

Sacramento, CA 95813-5039 Savanna, IL 61074-9636 Romulus, NY 14541-5001 Herlong, CA 96113-5000 DeSoto, KS 66018-0640 Tobyhanna, PA 18466-5078 Tooele, UT 84074-5008 Chambersburg, PA 17201-4170

Yuma, AZ 85365-9102 Warren, MI 48397-5000 Dugway, UT 84022-5000

Selfridge Air National Guard Base, MI 48045-5016

Madison, IN 47250-5100

Aberdeen Proving Ground, MD 21005 (2)

St. Louis, MO 63120 (2) Picatinny Arsenal, NJ 07806-5000 Hawthorne, NV 89415-5000 Fort Monmouth, NJ 07703-5108 (2)

Natick, MA 01760-5000 Hermiston, OR 97838-9544 Warrenton, VA 22186-5060 Watervliet, NY 12189-4050

White Sands Missile Range, NM 88002-5189 Grand Island, NE 68803

Joliet, IL. 60481-8879 New Brighton, MN 55112-5000 Baraboo, WI 53913-5000 Ravenna, OH 44266-9297 Chattanooga, TN 37422-2607 Riverbank, CA 95267-0678 Childersburg, AL 35044-1021 Adelphi, MD 20783-1145

#### **FORSCOM**

Fort Campbell, KY 42223-1291 Fort Riley, KS 66442-6000 Fort Stewart, GA 31314-5000 Fort Devens, MA 01433-5000 Fort Pickett, VA 23824-5000 (2) Fort Drum, NY 13602-5097 Fort Carson CO 80913-5000 (2) Fort Sam Houston, TX 78234-5000 Fort Buchanan, PR 00934-5000 Fort Dix, NJ 08640-5500 Fort Hunter Liggett, CA 93928 Fort Indiantown Gap PA 17003-5000 Fort McCoy, WI 54656-5000 Fort McPherson, GA 30330-5000 (4) Fort Lewis, WA 98433-5000 Fort Hood, TX 76544-5057 Fort Polk, LA 71459-5000 Fort Irwin, CA 92310-5000 Fort Bragg, NC 28307-5000

Yakima, WA 98901-5000

Braggs, OK 74423

Salem, OR 97309-5047

TRADOC

Fort Monroe, VA 23651 (2) Carlisle Barracks, PA 17013-5002 Fort Benning, GA 31905 Fort Bliss, TX 79916-6100 Fort Chaffee, AR 72905-5000

Fort Gordon, GA 30905-5040

Fort Huachuca, AZ 85613

Fort Jackson, SC 29207-5660

Fort Knox, KY 40121-5000

Fort Leavenworth, KS 66027-5020

Fort Lee, VA 23801-5200

Fort Leonard Wood, MO 64573-5000

Fort Rucker, AL 36362-5135

Fort Sill, OK 73503-5100

Fort Eustis, VA 23604-5306

Headquarters, 7th ATC ATTN: AEAGC-TD-MO

Headquarters, AEC ATTN: SFIM-AEC-ECN

Headquarters, Army Tng Spt Ctr

ATTN: ATIC-CTS

Headquarters, EUSA ATTN: EAGC-TD-RMD

Headquarters, USFK ATTN: FKEN-EN

Headquarters, TECOM ATTN: AMSTE-EQ

Headquarters, MDW ATTN: ANOP

Defense Tech Info Center 22304 ATTN: DTIC-FAB (2)

> 206 10/95